Technical Datasheet

Doosan Lynx 2600 Y

CNC lathe



Product code	**89-001471**
Condition	**Used machine**
Category	**Lathe**
Machine type	**CNC lathe**
Year of manuf.	**2022**
Control	**Fanuc 0i-TF**
Turning diam. [mm]	**380**
Turning length [mm]	**610**

Mainspindle:

Technology	Belt-driven spindle
Speed	3.500 rpm
Power (max.)	18,5 kW
Torque (max.)	403 Nm
Barcapacity	81 mm
Workpiececlamping	3-Jaw chuck, Samchully MH-210 VI ø260 mm

Toolcarrier (X/Y/Z):

Technology	Turret with 12 stations
Taper	BMT 55P
Tooldrive	5.000 rpm, 5,5 kW, 42 Nm
Movement in X/Y/Z	250/105/680 mm
Rapid travers in X/Y/Z	30/10/30 m/min

Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale
and error excepted

Tailstock:

Technology	Hydraulic driven
Stroke	700 mm
Cone	MK4

Equipment/Accessory:

Chipmanagement	Chip conveyor
Coolingmanagement	Coolant pump with High-pressure, 7 bar
Toolmeasurement	Automatic Measuringarm, Renishaw RP3
Rawmaterialfeed	Interface Barloader
Finsihed part-removal	Partcatcher with Box
Oilmistseparation	Mechanical extraction, Dormatec AF20P
Toolholder	Misc. static and driven Toolholder
Further Acessory	Oilskimmer

Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale
and error excepted

Technical Datasheet

Product images



Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale
and error excepted