Technical Datasheet

+GF+ AgieCharmilles FI 440 SLP

Wire cutting machine



Product code	**89-001794**
Condition	**Used machine**
Category	**Miscellaneous machine**
Machine type	**Wire cutting machine**
Year of manuf.	**2008**
Control	**Sonstige**
Movement X/Y/Z [mm]	**550/350/400**

Workingspace:

Movement in X/Y/Z	550/350/400 mm
Movement in U/V	550/350 mm
Table size	900 x 600 mm
Workpiece dimensions (max.)	1.200 x 700 x 400 mm
Load capacity (max.)	1.500 kg
Dielectricheight (min./max.)	0/435 mm
Clearance angle (max.)	+/- 45°/400 mm

Generator:

Technology	ISOPULS-Doppelquellengenerator
Cutting speed	400 mm²/min
Finest arbitration	0,20 µm Ra

Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale and error excepted

Technical Datasheet

Wire:

Standard diameter	0,25 mm
Wire guiding	Closed diamond guides

Equipment/Accessory:

Tankcapacity	1.200l Dielektrikum
Dielektrikumsmanagement I	Filtercartige
Dielektrikumsmanagement II	Chiller, Eckert
Setup operations	Electronic Handwheel
Workpiececlamping	Clampingjaw, EROWA
Further Accessory	Misc. Electrodeholder, clamping devices and Erodingwire
Attention	The displayed Deionisationsfilters are not included in our offer.

Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland


Note: Subject to prior sale
and error excepted

Technical Datasheet

Product images














Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale
and error excepted

Technical Datasheet





Tel.+49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Note: Subject to prior sale
and error excepted